

IME 100 -.BULK PROCESSING

BASIC CLASS NOTES

OCTOBER 12, 2015

Class Preparation and Reading Review

This should be completed prior to class

Key Concepts to Be Discussed in Class:

Questions About Subject Matter for Class Session:

Outline


- Manufacture by Mechanical Processing
 - Overview
- Processes
 - Forging
 - Extrusion and Drawing
 - Bending
 - Sheet Metal Processing
- Sequence of Operations
 - Press Operation

Material Properties

- When Stretched Metals Become
 - Harder
 - Stronger
 - Less Ductile
- When Processed at Elevated Temperature
 - Softer
 - Weaker
 - More Ductile
- Heating and Cooling Metals
 - Similar to Elevated Temperature Processing

Steel (Iron) is the Exception

- At 727°C Atomic Arrangement of Solid Iron Changes
 - More Carbon in High Temperature Form
 - Final Properties are Cooling Rate Dependent



BASIC CLASS NOTES

OCTOBER 12, 2015


Forging

- Use Compressive Force to Change Shape
 - Open Die
 - Barreling Will Result

$$\epsilon = \frac{h_0}{h} - 1$$

$$F = K \sigma A$$

$$K = 1 + \frac{0.4 \mu D}{h}$$




Dieter G. E.



Forgework-bridlington.com.uk




Whemco.com



[Wikimedia Commons](https://commons.wikimedia.org/)

Bending

- Apply a Bending Stress and Deform Material
 - Bending Stress
 - Strain in Part
 - Bent Area Harder
 - Design for Spring Back




$$\varepsilon = \frac{1}{(2R/T) + 1}$$

$$\sigma = \frac{Mc}{I}$$



Shearing

- Applying Sufficient Force to Separate Metal
 - Punching
 - Blanking

$$F = 0.7tl\sigma_{UTS}$$





Dieter G. E.




Practica -Blanking

- Use Blanking Press
 - To Form Circular Blank



Deep Drawing



- Force Metal to Take Predefined Shape
 - Bowl
 - Housings




Wikimedia Commons

Practica - Deep Drawing

- Use Deep Drawing Press
 - Turn Circular Blank Into Bowl




W. Riffe Class Notes




Extrusion

- Push a Material Through a Die
 - Reduce Cross Section
 - High Pressure
 - Elevated Temperature



Wikimedia Commons

<p><u>Copper</u></p> <p>500C k=260MPa</p> <p>800C k=100MPa</p>
--




Dieter G. E.


$$F = A_0 k \ln \left(\frac{A_0}{A_f} \right)$$

Wire Drawing

- Reduce Cross Sectional Area By Pulling Through a Die
 - Wire or Rod Formation
 - Elevated Temperature




Dieter G. E.



Wikimedia Commons

Rolling

- Reduce Cross -Sectional Area by Rolling Stock
 - First Stage in Most Sheet Metal Processes



Dieter G. E.

$$t_0 - t_f = \mu^2 R$$

$$\epsilon = \frac{t_0}{t_f} - 1$$

$$F = \sigma w \sqrt{R(t_0 - t_f)}$$

$$P = (2\pi N) \left[wR(t_0 - t_f) \right] \sigma$$

Summary

- Mechanical Processing is A Key Manufacturing Technique
- Sheet Metal Forming a Key Technology
- Knowledge of Materials Required
- Reference
 - Dieter G. E. : Mechanical Metallurgy; McGraw Hill © 1986
 - Groover M. P. : Fundamentals of Modern Manufacturing Systems; Wiley, ©2010

IME 100 -.BULK PROCESSING

BASIC CLASS NOTES

OCTOBER 12, 2015

After Class Review

Summarize Key Concepts and List Further Questions

Review Notes and Make Links to HW Problems

<u>Key Concepts</u>	<u>HW Connections</u>	<u>Questions</u>